

P.O. Box 1010
3300 CA Zwijndrecht
the Netherlands
Tel. +31(0)78 610 11 22
Fax. +31(0)78 610 22 20
Internet: <http://www.oliebron.com>
e-mail: info@oliebron.nl

PMO 5W30 FE

Description

This modern synthetic fuel economy motor oil is produced with special selected synthetic base oils and a well-balanced choice of advanced additives to obtain the following properties:

- a lower fuel consumption
- a high and stable viscosity index
- a high resistance against shearing
- a fast cold start
- a very strong resistance against oxidation
- a safe lubrication film at high temperatures
- a very good detergency and dispersion power
- a very strong protection against wear, corrosion and foaming

Application

This fuel economy motor oil is recommended for use in petrol- and diesel engines, with or without turbo-charging, in passenger cars and delivery vans with the specifications as stated below. This motor oil is specially developed for those cars, that ask for motor oils that fulfill the recent requirements of the OEM's. This oil is fully backward compatible with Ford M2C 913-A, B and C.

Specifications

ACEA A5/B5, A1/B1
API SL/CF
Meets the requirements of
Ford WSS-M2C913-D
Renault RN0700
Jaguar Land Rover STJLR.03.5003

Typicals

Density at 15 °C, kg/l	0,845
Viscosity -30 °C, mPa.s	3890
Viscosity 40 °C, mm ² /s	54,50
Viscosity 100 °C, mm ² /s	10,30
Viscosity Index	170
Flash Point COC, °C	229
Pour Point, °C	-47
Total Base Number, mgKOH/g	10,3
Sulphate Ash, %	1,01
Test Noack %	8,9
HTHS	3,0

07/09/2019

The data mentioned in this product information sheet are meant to enable the reader to orient himself about the properties and possible applications of our products. Although this overview is composed with all possible carefulness on the stated date, the composer does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, specially for critical applications, to make the final product-choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification. You can download a recent material safety data sheet of this product on our website..